



Amity Industrial Ltd.

No.6 Xianxia Ling Road, Qingdao, China

TEL:+86 532 88893569 FAX:+86 532 88892590

Http://www.amityindustrial.com Email:sales@amityindustrial.com

Digital Calipers

IP54 Water Proof Digital Calipers

Features:

- Can be used in workshop conditions.
- Incorporates absolute measurement system.
- Conform to IP54 and with a function of first level water resistance and dust proof.
- Can be exposed to water, dust or oil.
- Power on/off.
- mm/inch conversion.
- Zero-setting at any position.
- Data output(without cover B).

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
111-801	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar (flat or roundφ1.6)	USD49.00
111-802	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar (flat or roundφ1.6)	USD66.50
111-803	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD84.00

IP65 Water Proof Digital Calipers

Features:

- Conform to IP65 level and can be used in cutting liquid conditions.
- Digital Calipers with Swiss Chips.

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
110-601	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar	USD49.00
110-602	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar	USD66.50

IP67 Water Proof Digital Calipers

Features:

- New Independent Intellectual Property Conductive Sensor and Measuring System.
- Conform to IP67 and can be used in cutting liquid conditions.

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
110-801	0-150	0.01/.0005"	±0.03	240	41	22	16.5	16	With depth bar	USD49.00
110-801G	0-150	0.01/.0005"	±0.03	240	41	22	16.5	16	With depth bar	USD49.00
110-802	0-200	0.01/.0005"	±0.03	290	50	24	19.5	16	With depth bar	USD66.50
110-802G	0-200	0.01/.0005"	±0.03	290	50	24	19.5	16	With depth bar	USD66.50
110-803	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD84.00
110-803G	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD84.00



Amity Industrial Ltd.

No.6 Xianxia Ling Road, Qingdao, China

TEL:+86 532 88893569 FAX:+86 532 88892590

Http://www.amityindustrial.com Email:sales@amityindustrial.com

Digital Calipers

Three-key Fast Display

Features:

- High precision.
- With power on/off, real power-off, Leave it aside still for 20 minutes and it'll be power off automatically.
- Have a low consumption of battery. (A SR44's battery life is about 2 years when used normally).
- Quick display of the measured value.
- With big LCD display.
- High cost performance.

Type A is with data output, and a thump roller is optional.

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
111-101	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar	USD12.50
111-102	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar	USD19.00
111-103	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD36.50

Four-key Fast Display

Features:

- High precision
- With power on/off, real power-off, Leave it aside still for 20 minutes and it'll be power off automatically. Have a low Consumption of battery. (A SR44's battery life is about 2 years when used normally)
- Quick display of the measured value
- With big LCD display
- High cost performance

Type A is with data output, and a thump roller is optional

Functions:

- Zero-setting at any position for incremental measurement mm/inch conversion at any position
- ABS Function
- Absolute and incremental measurement mode switching
- Hold Function
- Can hold measuring data
- Fast tracing Max/Min data
- TOL Function

Can judge if the work piece's size is within the tolerance preset in the caliper

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
TOL										
111-101T	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar (flat or round φ1.6)	USD14.00
111-102T	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar (flat or round φ1.6)	USD21.00
111-103T	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar (flat or round φ1.6)	USD40.00
HLOD										
111-101H-10	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar (flat or round φ1.6)	USD14.00
111-102H-10	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar (flat or round φ1.6)	USD21.00
111-103H-10	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar (flat or round φ1.6)	USD40.00
ABS										
111-101E-10	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar (flat or round φ1.6)	USD14.00
111-102E-10	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar (flat or round φ1.6)	USD21.00
111-103E-10	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar (flat or round φ1.6)	USD40.00




Amity Industrial Ltd.

No.6 Xianxia Ling Road, Qingdao, China

TEL:+86 532 88893569 FAX:+86 532 88892590


Http://www.amityindustrial.com Email:sales@amityindustrial.com

Digital Calipers




Vernier-digital Calipers
Features:
 With both vernier reading and digital reading

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
101-101	0-150	0.01/.0005"	±0.03	246	40	21	16.5	17		USD22.50
101-102	0-200	0.01/.0005"	±0.03	300	50	24	19.5	17		USD29.50
101-103	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17		USD45.50




3V Battery Digital Calipers
Features:
 High precision
 3V battery is better to environmental protection
 Quick display of the measured Value
 With big LCD display
 High cost performance

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
111-101V	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar	USD14.50
111-102V	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar	USD21.50
111-103V	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD41.50
111-101VG	0-150	0.01/.0005"	±0.03	236	40	21	16.5	16	With depth bar	USD15.50
111-102VG	0-200	0.01/.0005"	±0.03	286	50	24	19.5	16	With depth bar	USD22.00
111-103VG	0-300	0.01/.0005"	±0.04	400	60	25	20.5	17	With depth bar	USD42.00



High Precision Digital Calipers
Features:
 Power on/off
 Zero-setting at any position
 mm/inch conversion
 Absolute and incremental measurement mode switching
 Data output
 Resolution: 0.005mm

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	L mm	a mm	b mm	c mm	d mm	Remarks	FOB Price
110-201	0-150	0.01/.0005"	±0.020	236	40	21	16.5	16	With depth bar(flat or roundφ1.5)	USD28.00
110-202	0-200	0.01/.0005"	±0.025	286	50	24	19.5	16	With depth bar(flat or roundφ1.5)	USD31.50
110-203	0-300	0.01/.0005"	±0.035	400	60	25	20.5	17	With depth bar(flat or roundφ1.5)	USD50.50



Solar Digital Calipers
Features:
 Auto power-off
 Zero-setting at any position
 mm/inch conversion

Order No.	Measuring Range mm	Resolution mm/inch	Permissible Error mm	Remarks	FOB Price
111-101Q	0-150	0.01/.0005"	±0.03	With depth bar(flat or roundφ1.6)	USD20.00
111-102Q	0-200	0.01/.0005"	±0.03	With depth bar(flat or roundφ1.6)	USD30.00
111-103Q	0-300	0.01/.0005"	±0.04	With depth bar	USD45.50